



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES
(Untabulated).

ALGERIA—Algiers.—Month of April, 1912. Population, 172,397. Total number of deaths from all causes 335, including diphtheria 3, measles 2, smallpox 1, tuberculosis 46, typhoid fever 5.

AUSTRALIA—Newcastle.—Month of March, 1912. Population, 56,200. Total deaths from all causes 47, including tuberculosis 1, typhoid fever 3.

BRITISH BURMA—Rangoon.—Month of March, 1912. Population, 293,316. Total number of deaths from all causes 869, including cholera 38, plague 63, smallpox 66, tuberculosis 30, typhoid fever 3.

CHILE—Punta Arenas.—Month of March, 1912. Population, 10,103. Total deaths from all causes 37, including tuberculosis 2.

FRANCE—St. Etienne.—Two weeks ended April 30, 1912. Population, 148,778. Total number of deaths from all causes 130, including diphtheria 1, tuberculosis 23.

GERMANY—Strassburg.—Month of April, 1912. Population, 182,426. Total deaths from all causes 235, including diphtheria 4, measles 2, tuberculosis 39, typhoid fever 2.

GREAT BRITAIN.—Week ended May 11, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 14.2 per 1,000 of the population, which is estimated at 17,639,816.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 19.9 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Dundalk, viz, 4, and the highest at Drogheda viz, 42 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 15.9 per 1,000 of the population, which is 2,182,400. The lowest rate was recorded at Partick, viz, 8.4, and the highest at Ayr, viz, 23.3 per 1,000. The total number of deaths from all causes was 665, including diphtheria 3, measles 23, scarlet fever 5, typhoid fever 1.

GUAM.—Month of March, 1912. Population, 9,000. Total number of deaths from all causes 23, including tuberculosis 23. Two hundred and nineteen cases of hookworm disease were reported.

HAWAII—Hilo.—Two weeks ended April 27, 1912. Population, 3,500. The deaths include typhoid fever 1.

Honolulu.—Two weeks ended April 27, 1912. Population, 39,306. Total number of deaths from all causes 47, including tuberculosis 6, typhoid fever 2, pneumonia 9, tetanus 1.

JAMAICA—Kingston.—Month of April, 1912. Population, 50,000. Total number of deaths from all causes 152, including tuberculosis 14, typhoid fever 4.

MALTA.—Month of April, 1912. Population, 215,395. Total number of deaths from all causes 334, including measles 10, tuberculosis 21.

NEW ZEALAND.—Month of February, 1912.

Auckland.—Population, 104,728. Total number of deaths 54, including diphtheria 1, typhoid fever 1.

Christchurch.—Population, 82,004. Total number of deaths 33, including typhoid fever 1, tuberculosis 3.

Dunedin.—Population, 65,690. Total number of deaths 39, including typhoid fever 1, tuberculosis 7.

Wellington.—Population, 71,427. Total number of deaths 38, including diphtheria 1, tuberculosis 6.

PANAMA—*Panama.*—Month of April, 1912. Population, 30,000. Total number of deaths from all causes not reported. The deaths include tuberculosis 15, malaria 3, pneumonia 6.

SOUTH AFRICA—*Johannesburg.*—Six weeks ended May 4, 1912. Population, 237,220. Total number of deaths from all causes 540, including diphtheria 1, measles 18, scarlet fever 1, tuberculosis 64, typhoid fever 16.

SPAIN—*Huelva.*—Month of April, 1912. Population, 28,982. Total deaths from all causes 94, including measles 16, tuberculosis 13.

TURKS ISLANDS.—Three weeks ended May 11, 1912. Population, 1,681. Total number of deaths from all causes 4. No deaths reported from infectious diseases.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication
may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy.

Subscription price, per volume - - - \$2

